

#2
367.39429X00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Timo KINNUNEN, et al

Serial No.:

Filed: December 22, 2000

Title: IMPROVEMENT RELATING TO IMPROVEMENTS IN
AND RELATING TO A USER INTERFACE FOR A
RADIOTELEPHONE

Group:



LETTER CLAIMING RIGHT OF PRIORITY

Honorable Commissioner of
Patents and Trademarks
Washington, D.C. 20231

December 22, 2000


Sir:

Under the provisions of 35 USC 119 and 37 CFR 1.55, the
applicant(s) hereby claim(s) the right of priority based on
United Kingdom Patent Application No.(s) 9930713.4 filed
December 24, 1999.

A certified copy of said United Kingdom Application is
attached.

Respectfully submitted,

ANTONELLI, TERRY, STOUT & KRAUS, LLP



Carl I. Brundidge
Registration No. 29,621

CIB/nac
Attachment
(703) 312-6600


THIS PAGE BLANK (USPTO)



INVESTOR IN PEOPLE

CERTIFIED COPY OF PRIORITY DOCUMENT

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ



I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 20 September 2000


THIS PAGE BLANK (USPTO)

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH



1. Your reference

PAT 99433 GB

2. Patent application number

(The Patent Office will ...)

9930713.4

24 DEC 1999

3. Full name of each applicant

(Underline all surnames)

NOKIA MOBILE PHONES LIMITED
KEILALAHDENTIE 4
02150 ESPOO
FINLAND

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

FINLAND

7761430001
059 11995004

4. Title of the invention

IMPROVEMENTS IN AND RELATING TO A USER
INTERFACE FOR A RADIOTELEPHONE

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom
to which all correspondence should be sent
(including the postcode)

NOKIA IPR DEPARTMENT
NOKIA HOUSE
SUMMIT AVENUE
FARNBOROUGH
HAMPSHIRE
GU140NG UK

7577638001 ✓

Patents ADP number (if you know it)

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

YES

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description	7
Claim(s)	3
Abstract	1
Drawing(s)	2

22

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

1

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature

Date

12. Name and daytime telephone number of person to contact in the United Kingdom

IAN JOHNSON 01252 865000

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

Improvements in and relating to a user interface for a radiotelephone

5 The present invention relates to a messaging interface for a communication device, particularly although not exclusively a radiotelephone handset.

10 The range of communication options available to users of radiotelephone handsets is continually expanding. At present, in addition to conventional voice communication, it is possible to send text messages and electronic mail (email). One example of a text messaging service is the short message service (SMS) available under the GSM system. Additional communication methods, which are being implemented presently or in the near future, will allow multimedia images and audio to be transmitted between handsets. Such information may be stored within the memory of a handset but is more
15 likely to be held remotely of the telephone, perhaps in a server connected to the Internet.

20 The users of existing non-voice communication options are presently constrained to either a rather functional interface having extremely limited delivery options or, where the handset is capable of interacting with the internet, a much more complex interface that can be bewildering to an inexperienced or a computer illiterate individual. Furthermore, the manner in which a short text message or email is displayed on the handset of a message recipient remains outside of the control of the sender. This limitation
25 is not acceptable when considering the possibilities offered by multimedia sources now available.

Thus, the present invention is intended to provide an improved user interface which is not only intuitive to operate, but also provides the capability
30 necessary to allow the user to express himself to his full extent when

compiling a message particularly a message involving a range of multimedia sources.

5 According to one aspect of the invention, there is provided a communications device including a messaging user interface, the interface including means for selecting a component for inclusion in a message, means for selecting the conditions under which the message may be opened and means for storing said component as a message together with a message header holding the message delivery conditions in a memory of the communication device.

10

Preferably, the message header will contain data relating to a range of user defined conditions relating to the delivery of the message. The message header could be stored separately of or alternatively as part of the message.

15 The data contained in the header could include the time, date, and even location of the message recipient's device. Where the recipient's device is equipped with the necessary interface, the user that is to say the sender of the message, could pre-set a similar equipped device on which the message will be opened e.g. a hi-fi for an audio component or a television monitor for a

20 video component. In which case, the message may also usefully contain presentation information relating to a component of the message. This information might include parameters relating to the size, playback speed and positioning of a video image, for example.

25

According to a further aspect of the invention, there is provided a method of creating a message on a communications device, comprising selecting a component from a source and defining a set of conditions for delivery of the message.

30

According to a yet further aspect of the invention, there is provided a method of opening a message created in accordance with the above method, the method comprising receiving the message, storing the message in the communication device, analysing the delivery conditions and in the event that they are met opening the message.

In order to aid in understanding the invention, a specific embodiment thereof will now be described by way of example and with reference to the accompanying drawings, in which:

Figure 1 is a diagrammatic view of a communication network incorporating a communications device having a user interface in accordance with the invention;

Figure 2 is a view of a menu screen of the user interface of Figure 1;

Figure 3 is a view of a screen of a recipient of a multimedia message created by the user interface of Figure 1; and

Figure 4 is a view of a further screen of the recipient of the message created by user interface of Figure 1.

Referring to the Figure 1, there is shown a communications device such as a cellular radiotelephone 1 having a link 2 via a public land mobile network (PLMN) 3, to a public switched telephone network (PSTN) 4 and the Internet 5. The device 1 is provided with an LCD screen or display 6 made up of a plurality of lines. The display 6 is of sufficient resolution to permit text messages and images to be displayed thereon. The radiotelephone 1 further includes memory means and a processor. In addition to providing the usual functions of a mobile station within a PLMN 3, details of which are well known in the art, the memory means and processor provide a set of tools with which messaging information, which may be as simple as a textual message or as complex as multimedia information, may be manipulated by a user and sent to a recipient for subsequent display.

The basic function of the display 6 is to provide a user with information concerning the status of the radiotelephone 1 and the PLMN 3 of which it forms an element. As is conventional, the user operates the radiotelephone by depressing one or more keys on a keypad 7 in a certain sequence. However, in a non-illustrated variant, the keys are replaced by a so-called touch sensitive screen that permits a user to press lightly on an image generated on the screen that corresponds to a function of the telephone 1. In either case, the user input via the keypad 7 is interpreted by the processor and a corresponding function is carried out.

The radiotelephone 1 is provided with an advanced user interface based on a set of menus having a pre-defined hierarchical structure each of which can be selected by the user of the radiotelephone 1. Each menu contains a list of one or more options, which the user may browse using scroll key 8 and from which specific functions are selectable. The user interface permits the user to request the performance of certain functions by the radiotelephone 1 which include, but are not limited to, accessing sources, including multimedia sources, from various locations within the a communications network comprising the PLMN 3, PSTN 4 and the Internet 5., in addition to the memory resource of the radiotelephone 1 itself.

Figure 2 shows an example of a screen 10 which, when shown on the display 7, presents the user with a number of options relating to the creation of, in this example, a multimedia file. Thus, by previously having carrying out a sequence of key presses, the user, who for convenience is referred to as a sender, will have selected this menu from the hierarchical structure and is then able to browse the desired options from the set available on that menu. The interface allows a user both to enter information in the form of text and also to compile information gathered from a number of locations, both within

and without the radiotelephone 1, to produce a multimedia file. Thus, in use, the sender may firstly access a sound file held internally of the telephone 1 or perhaps externally on the Internet 5. The sound file is stored in the multimedia file. In the case of an Internet source file, the multimedia file may hold simply the URL address of the sound file. Similarly, the user may select a video image file from the Internet and store the URL address of that file in the multimedia file. Further components of the multimedia message file may be assembled either from internal telephone 1 resources such as a set of pre-stored images or external resources such as the Internet 5.

10

Once compiled or indeed during the compilation of the multimedia message, the user is given access through the interface to a set of tools which permit the sender to modify, if required, the presentation of the compiled information to a recipient. Thus, the sender is able to modify, for example, the volume of sounds, the speed of playback of video clips, and the position and sizes of images of a video file as they would appear on a display of a recipient's communications device. These parameters are stored in the multimedia message and associated with the component to which they relate. The multimedia message may then be archived, either sent as an enclosure to a separate message or, indeed, sent as message itself.

20

As a prerequisite to either sending the multimedia message as an attachment or separately, the sender is given the opportunity to select the recipient of the multimedia message either by directly entering a telephone number or by selecting an entry in a contact list maintained in the memory of the radiotelephone and accessed via the interface. The sender is further given the opportunity to set the conditions under which the multimedia message can be read by a recipient. Thus, the sender may specify the time, date and even location at which the message may be read. In addition, the sender may predetermine how much of the message may be available to the receiver

30

depending on the capabilities of the receiver's communication device. With respect to the conditions of time and date, these could allow the creation of a birthday greeting message, which would be opened only on the receiver's birthday.

5

A message could also be created which opened when the receiver's device reached a specific location. A location could be defined either in terms of a geographical position or perhaps by proximity to a particular type of device. In the former case, the sender could enter the specific location via a map
10 retrieved from the network or held within the memory of his device. The sender could then select a location from the map or alternatively directly enter co-ordinates. This location information could then be translated into a specific cell site, entry into that would cause the multimedia message to open. Alternatively, where the recipient's communication device has access to a
15 GPS receiver, a comparison of the co-ordinates included with the multimedia message could be made with those derived from the GPS receiver and the message opened at the appropriate location. In the second case, the recipient's device will be provided with a wireless network interface such as Bluetooth low power radio frequency network interface such that it could
20 detect the presence, via a local network or piconet, of another similarly equipped device which meets the criteria set by the sender for opening the message. For example, the sender could specify a wireless network interface equipped television monitor for display of a the message. On entering a room containing such a monitor, the receiver's device would detect the presence of
25 the monitor and negotiate the display of the message with the monitor over the wireless network.

Referring now to Figures 3 and 4, these are illustrative of the screen displays presented to the receiver of a message compiled in accordance with the
30 foregoing description. The receiver is initially presented with a message

header screen 11 (Figure 3) setting out details 12 of the message including warnings of any content which may alarm or otherwise disturb the recipient such as the presence of loud sounds and the like. The message header might also list the requirements for reading the file. For example, the file may

5 contain a video clip that may be displayed on a television. In which case both the television and the recipient's handset would require the necessary connectivity to facilitate the display of the clip. The header may also indicate whether the contents of the multimedia file are embargoed and until what date. Figure 4 shows a screen display 13 of the multimedia file corresponding

10 to the header screen 11 once it has been opened by the recipient. It should be noted that in addition to text 14 and visual 15 components, there are links, represented by icons 16,17, to a video clip and an audio recording, respectively.

Claims

1. A communications device including a messaging user interface, the interface including means for selecting a component for inclusion in a message, means for selecting the conditions under which the message may be opened and means for storing said component as a message together with a message header holding the message delivery conditions in a memory of the communication device.
2. A device as claimed in any one of Claims 1 to 3, in which the message header further contains information descriptive of the content of the multimedia message.
3. A device as claimed in any preceding Claim, including a look-up table wherein the table contains entries of locations from which components are selectable.
4. A device as claimed in Claim 4, wherein at least one of the locations is the memory of the communication device.
5. A device as claimed in any preceding Claim, wherein the message includes a plurality of components and associated presentation files.
6. A device as claimed in any preceding Claim, in which at least one component is a multimedia file.

7. A device as claimed in any preceding Claim, including means for creating a presentation file associated with said component, said file being stored with said message.
- 5 8. A device as claimed in any one of Claims 7, wherein the presentation file contains parameters relating to the size and position of a component comprising a video image.
- 10 9. A device as claimed in Claim 7 or Claim 8, wherein the presentation file contains parameters relating to the volume of a component comprising an audio recording.
- 15 10. A device as claimed in any one of Claims 7 to 9, wherein the presentation file contains parameters relating to the colour and font of a component comprising a text string.
11. A device as claimed in any preceding Claim, including means for formatting the message an attachment to a short text message.
- 20 12. A device as claimed in any one of Claims 1 to 10, including means for formatting the message as an email.
13. A device as claimed in any preceding claim, including wireless network interface means.
- 25 14. A device as claimed in any preceding Claim, wherein the device is a radio telephone.
-

15. A method of creating a message on a communications device, comprising selecting a component from a source and defining a set of conditions for delivery of the message.
- 5 16. A method as claimed in Claim 15, wherein the conditions include data relating to a time of delivery of the message.
17. A method as claimed in Claim 15 or Claim 16, wherein the conditions include data relating to a location for delivery of the message.
- 10 18. A method as claimed in Claim 17, wherein the location is defined by a geographical location.
- 15 19. A method as claimed in Claim 17, wherein the location is defined by the presence of a further device.
- 20 20. A method as claimed in any one of Claims 15 to 19, including the step of creating a presentation file associated with said component,
- 20 21. A method of opening a message on a communications device the message having first been created in accordance with the method of any one of Claims 15 to 20, comprising receiving the message, storing the message in the communication device, analysing the delivery conditions and in the event that they are met opening the message.
- 25 22. A method as claimed in Claim 21, as appendant to Claim 19, including the further step of establishing a communications channel with said further device and subsequently opening at least a portion of said message on said further device.

AbstractImprovements in and relating to a user interface for a radiotelephone

- 5 A user interface for a radiotelephone 1 is described in which the user is able to select components from a variety of sources including multimedia sources and the Internet. The user is then able to combine the components in a message and furthermore edit them to add expression to the message and to set delivery conditions for the message. The message may be archived for
- 10 later use or immediately sent to a third party either separately or as an attachment to another file.

THIS PAGE BLANK (USPTO)

1/2




Figure 1

THIS PAGE BLANK (USPTO)

2/2




figure 2




Figure 3




figure 4

THIS PAGE BLANK (USPTO)